

Product: Laundry Powder

SECTION 1 – STATEMENT OF CHEMICAL PRODUCT AND COMPANY IDENTIFICATION				
Trade Name:	LAUNDRY POWDER			
SUPPLIER:	Construction Supply Specialists			
ADDRESS:	17 Lakeside Drive Broadmeadows VIC 3047			
TELEPHONE:	+61 3 93574228 FAX: +61 3 93574229			
AH EMERGENCY TELEPHONE:	13 1126 in Australia ABN: 67 100 073 087			
Substance:	Powder	Product Use:	Laundry Powder	
Creation Date:	May 2023	Revision Date:	May 2028	
Product Code:				

SECTION 2 – HAZARDS IDENTIFICATION

Classification of the substance or mixture

- This product is classified as **HAZARDOUS** according to criteria of Safe Work Australia.
- The product is **NOT a DANGEROUS GOOD** according to the Australian Dangerous Goods (ADG) Code.
- The product is classified as **DANGEROUS** according to GHS.

GHS - GLOBALLY HARMONISED SYSTEM		
GHS Classification	Skin Irritation – Category 2	
	Serious Eye Damage/Irritation - Category 1	
	Specific Target Organ - Toxicity 3	
GHS Pictogram		
GHS Signal Word	DANGER	

Hazard statement(s)		
H335	May cause respiratory irritation	
H315	Causes skin irritation	
H318	Causes serious eye damage	

Precautionary statement(s): General			
P101	If medical advice is needed, have product container or label at hand.		
P102	Keep out of reach of children.		
P103	Read label before use.		
Precautionary statement(s): Prevention			
P261 + P271	Avoid breathing dust. Use outdoors or in well ventilated area.		
P264 + P280	Wash hands thoroughly after use. Wear protective gloves.		
P280	Wear protective gloves/protective clothing/eye protection/face protection.		

Precautionary	statement(s)	· Resnonse
riccaulional v	Statements	i. nespulise

Date of Issue: MAY 2023	Page 1 of Total 9



Product: Laundry Powder

P304 + P340	IF INHALED: remove victim to fresh air & keep at rest in a position comfortable for breathing.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P321	Specific treatment (see First Aid on safety data sheet).
P332 + P313	If skin irritation occurs: get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P305 + P351 + P338	IF IN EYES: rinse cautiously with water for several minutes. Remove contact
	lenses if present and if easy to do.
P310	Immediately call a POISON CENTER or doctor/physician.

Precautionary statement(s): Storage		
P403 + P233 + P405	Store in a well ventilated place. Keep container tightly closed. Store locked up.	

Precautionary statement(s): Disposal	
P501	Dispose of contents/container in accordance with local regulations.

ADG CODE DANGEROUS GOODS			
UN Number	none allocated	ADG Classification	none allocated
Shipping Name	none allocated	ADG Subsidiary Risk	none allocated
Hazchem Code	none allocated	Packing Group	none allocated

POISON SCHEDULES	
SUSMP Classification	S5

EMERGENCY OVERVIEW	1		
Colour	Blue	Odour	Faint
Physical Description	Powder	Viscosity	Not relevant
Major Health Hazards	None known		
Note			
IMPORTANT	in its concentrated fo When diluted to 1:5 of		

SECTION 3 – COMPOSITION AND INFORMATION ON INGREDIENTS

Date of Issue: MAY 2023	Page 2 of Total 9



Product: Laundry Powder

Ingredients:		CAS Number:	Proportion:
Soda Ash		497-19-8	< 30% w/w
Disodium Metasilicate		10213-79-3	< 10% w/w
Ingredients determined to be non- hazardous (nonionic surfactants, chelators, dye)		various	Ralanco
NOTE:	Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication "List of Designated Hazardous Substances" of have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication "Approved Criteria for Classifying Hazardous Substances", or have been found NOT to meet the criteria of dangerous substance as defined in the GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AN LABELLING OF CHEMICALS (GHS), 4th edition United Nations 2011.		

SECTION 4 – FIRST	AID MEASURES
Scheduled Poisons	Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand can provide additional assistance for scheduled poisons. (Phone Australia 131126 or New Zealand 0800 764 766).
First Aid Facilities	
Required	Ensure there is access to eye washes and safety showers.
Inhalation	Remove victim to fresh air away from exposure. Obtain medical attention if symptoms occur.
Skin contact	Wash skin with plenty of water. Seek medical advice (e.g. doctor) if irritation, burning or redness develops. Seek medical advice (e.g. doctor).
Eye contact	Immediately irrigate with copious quantities of water for at least 20 minutes. Eyelids to be held open. Seek urgent medical advice (e.g. ophthalmologist) if symptoms persist.
Ingestion	Do NOT induce vomiting. Do NOT attempt to give anything by mouth to an unconscious person. Rinse mouth thoroughly with water immediately. Give water to drink. If vomiting occurs, give further water to achieve effective dilution. Seek urgent medical advice (e.g. doctor).
Advice to Doctor	Treat symptomatically. All treatments should be based on observed signs and symptoms of distress of the patient. Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand can provide additional assistance for scheduled poisons.

SECTION 5 – FIRE FIGHTING MEASURES

Date of Issue: MAY 2023	Page 3 of Total 9
Date of 155de. 141A1 2025	l age 3 of lotal 3



Product: Laundry Powder

Fire and Explosion

Hazards

Extinguishing Media

Fire Fighting

Non flammable.

Use an extinguishing media suitable for surrounding fires.

Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustion or

decomposition.

Flash Point Non combustible

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Emergency Procedures

- Shut off engine and electrical equipment and leave off.
- Move people from immediate area; keep upwind.
- Stop leak if safe to do so.
- Send messenger to notify fire brigade and police.
- Tell them location, material quantity, emergency contact.
- Indicate condition of vehicle and damage or injuries observed.
- Warn other traffic.

Occupational Release

Minor spills do not normally need any special clean-up measures. In the event of a major spill, prevent spillage from entering drains or water courses. Wear appropriate protective equipment as in section 8 below to prevent skin and eye contamination. Spilt material may result in a slip hazard and should be absorbed into dry, inert material (e.g. sand, earth or vermiculite), which then can be put into appropriately labelled drums for disposal by an approved agent according to local conditions. Residual deposits will remain slippery. Wash area down with excess water. If required, neutralize with citric acid or acetic acid. If contamination of sewers or waterways has occurred advise the local emergency services. In the event of a large spillage notify the local environment protection authority or emergency services.

SECTION 7 – HANDLING AND STORAGE

Handling

As with any chemical, avoid excessive personal contact. Wear protective clothing when risk of exposure occurs. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers closed at all times. Avoid physical damage to containers. Always wash hands with water after handling. Work clothes should be laundered. Launder contaminated clothing before re-use.

Storage

Store in a cool, dry, place with good ventilation. Avoid storing in aluminium and light alloy containers. Store away from acids. Keep containers closed at all times – check regularly for leaks

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Date of Issue: MAY 2023	Page 4 of Total 9
Date of issue. IVIAT 2025	Page 4 OI IOIai 9



Product: Laundry Powder

Control parameters

Occupational Exposure Limits

No exposure standards have been established for the mixture. However, over-exposure to some chemicals may result in enhancement of pre-existing adverse medical conditions and/or allergic reactions and should be kept to the least possible levels.

Control parameters

Biological Limits

No biological limits allocated.

PERSONAL PROTECTION PPE

Ventilation

Use only in a well-ventilated area. Ensure ventilation is adequate to maintain air concentrations below exposure standards.

Personal Protective Equipment

Use good occupational work practice.

The use of protective clothing and equipment depends upon the degree and nature of exposure.

Final choice of appropriate protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken.

The following protective equipment should be available;

Eye Protection



The use of safety glasses with side shield protection, goggles or face shield is recommended to handle in quantity, cleaning up spills, decanting, etc. Contact lenses pose a special hazard; soft lenses may absorb irritants and all lenses concentrate them.

Skin Protection







Wear gloves. Overalls, apron, work boots and elbow length gloves are recommended for handling the concentrated product (as per AS/NZS 2161, or as recommended by supplier) to handle in quantity, cleaning up spills, decanting, etc.

Protective Material Types

Respirator

Material suitable for mild detergent contact – Butyl rubber, Natural Latex, Neoprene, PVC, and Nitrile.

Not required for normal cleaning operations with adequate ventilation.



If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable dust/particulate filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Powder	Colour	Blue

Date of Issue: MAY 2023	Page 5 of Total 9
Date of 133de. WAT 2025	Tage 3 of Total 3



Product: Laundry Powder

Odour	Faint	Specific Gravity	~ 1.1 @ 25 ºC
Boiling Point	Not relevant	Freezing Point	Not relevant
Vapour Pressure	Not available	Vapour Density	Not available
Flash Point	Not flammable	Flammable Limits	None
Water Solubility	Miscible in all proportions	рН	~ 10.5 @ 25 ºC (1% w/w water)
Volatile Organic		Coefficient of Water/Oil	
Compounds (VOC)	0 % v/v	Distribution	Not available
Viscosity	Not available	Odour Threshold	Not available
Evaporation Rate	Not available	Per Cent Volatile	Not available

SECTION 10 – STABILITY AND REACTIVITY		
Reactivity	Stable at normal temperatures and pressure.	
Chemical stability	Stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.	
Conditions to avoid	Avoid contact with heat or heat sources. Acids.	
Incompatible materials	ACIDS: reaction can occur, yielding heat and pressure which can burst an enclosed container. Attacks many reactive metals (aluminium/magnesium/zinc alloys) releasing highly flammable gas (hydrogen) which generates fire or explosion hazards. Reacts slowly with ambient air (particularly carbon dioxide) which may cause certain insoluble salts top form in solutions.	
Hazardous	Product can decompose on combustion to form Carbon Monoxide, Carbon Dioxide, and	
decomposition	other possibly toxic gases and vapours. Acids (especially hydrochloric acid); will	
products	generate toxic gas.	
Hazardous Reactions	None known.	

SECTION 11 – TOXICOLOGICAL INFORMATION		
POTENTIAL HEALTH EFF	ECTS	
	cts expected if the product is handled in accordance with this Safety Data Sheet and the is or effects that may arise if the product is mishandled and overexposure occurs are:	
Inhaled Inhalation over exposure may result in mucous membrane irritation of the respiratory		
tract and coughing.		
Ingestion	gestion Ingestion may result in irritation to the mouth and throat, nausea, vomiting.	
Skin Contact Skin contact may result in irritation, redness, pain, rash, dermatitis. Severity depends		
the concentration and duration of exposure.		
Eye Contact may result in irritation, lacrimation, pain, redness, conjunctivitis and cor		
burns with possible permanent damage.		
Chronic No known effects.		

LAUNDRY POWDER	TOXICITY	IRRITATION
	LD50 calculated >10,000mg/kg	Mild irritation – skin.

Date of Issue: MAY 2023	Page 6 of Total 9



Product: Laundry Powder

not toxic	
HOL LOXIC	Severe irritation – eves.

SECTION 12 – E	COLOGICAL INFORMATION
General	No single ingredient (over 1%) recognised as environmental pollutant. Product miscible in all
	proportions with water AS WITH ANY CHEMICAL PROPILET DO NOT DISCHARGE INTO

proportions with water. AS WITH ANY CHEMICAL PRODUCT, DO NOT DISCHARGE INTO DRAINS, WATERWAYS, SEWER OR ENVIRONMENT. Inform local authorities if this occurs.

Aquatic Toxicity	
LAUNDRY POWDER (as	Acute Toxicity to fish (calculated from ingredients): LC50: 20 - 21 mg/L
sold)	Acute Aquatic Toxicity Cat 3. Harmful to aquatic life. Biodegradable.
LAUNDRY POWDER (at use	
dilution)	Acute Aquatic Toxicity (Calculated) LC50: 1995 - 2022 mg/L.
	Acute Aquatic Toxicity NOT HAZARDOUS – Not harmful to aquatic life. LC50 > 100mg/L.

SECTION 13 – DISPOSAL CONSIDERATIONS

Product and Packaging	Dispose of contents/container to chemical landfill.	Consult local or regional waste
Disposal	management authority for further details.	

SECTION 14 – TRANSPORT INFORMATION

Labels Required	
ADG	None allocated
Marine Pollutant	No
HAZCHEM	None allocated

Land Transport (ADG)	
UN number	None allocated
Packing group	None allocated
UN proper shipping name	None allocated
Environmental hazard	None allocated
class(es)	
Transport hazard class(es)	None allocated
Special precautions for	None allocated
user	

Air transport (ICAO-IATA / DGR)	
UN number	None allocated
Packing group	None allocated
UN proper shipping name	None allocated

Data of January MANY 2022	Dana 7 of Tatal 0
Date of Issue: MAY 2023	Page 7 of Total 9



Product: Laundry Powder

Environmental hazard	None allocated
Transport hazard class(es)	None allocated

Sea transport (IMDG-Code / GGVSee)	
UN number	None allocated
Packing group	None allocated
UN proper shipping name	None allocated
Environmental hazard	None allocated
class(es)	
Transport hazard class(es)	None allocated
Special precautions for	None allocated
user	None allocated

SECTION 15 – REGULATORY INFORMATION	
Labeling Details	
GHS Classification	Skin Irritation – Category 2
	Serious Eye Damage/Irritation - Category 1
	Specific Target Organ - Toxicity 3
SUSMP	Nil
ADG Code	Nil
AICS	All ingredients present on AICS.

Issue Date	12 May 2023
Version Number	V 1.1
Abbreviations and	ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail.
acronyms	AICS: Australian Inventory of Chemical Substances.
•	CAS Number: Chemical Abstracts Service Registry Number.
	GHS: Globally Harmonized System of Classification and Labelling of Chemicals
	HAZCHEM: An emergency action code of numbers and letters which gives information to
	emergency services.
	HSIS: Hazardous Substances Information System
	IARC: International Agency for Research on Cancer.
	NOHSC: National Occupational Health and Safety Commission.
	NTP: National Toxicology Program (USA).
	SDS: Safety Data Sheet
	STEL: Short Term Exposure Limit.
	SUSMP : Standard for the Uniform Scheduling of Medicines and Poisons.
	TWA: Time Weighted Average.

Date of Issue: MAY 2023	Page 8 of Total 9
Date of issue. WAT 2025	rage o di Total 9



Product: Laundry Powder

UN Number: United Nations Number.

Literature references	Preparation of Safety Data Sheets for Hazardous Chemicals – Code of Practice (December
	2011 – Safe Work Australia)
	GHS Hazardous Chemical Information List (September 2014 – Safe Work Australia)
	Guidance on the Classification of Hazardous Chemicals under the WHS Regulations. April
	2012. Safe Work Australia.
	Global Harmonized System of Classification and Labelling of Chemicals (GHS). Fifth revised edition.
	"Australian Exposure Standards"
	List of Designated Hazardous Substances [NOHSC:10005(1999)]
	Australian Code For The Transport Of Dangerous Goods By Road And Rail – 7th Edition.
	Standard for the Uniform Scheduling of Medicines and Poisons 2015.
	Material Safety Data Sheets – individual raw materials – Suppliers.
	Approved Criteria for Classifying Hazardous Substances [NOHSC:1008(1999)]
	HSIS – Hazardous Substance Information System – National Worksafe Data Base.
	LABELLING OF WORKPLACE HAZARDOUS CHEMICALS, Code of Practice, DEC 2011
	IMPLEMENTATION OF THE GLOBALLY HARMONISED SYSTEM OF CLASSIFICATION AND
	LABELLING OF CHEMICALS (GHS) APRIL 2012
Risk assessments	This SDS is a tool to communicate hazards which can assist you in creating relevant risk assessments for your workplace. There are many variables in determining whether a particular hazard is a risk in your workplace. Keep in mind this may be influenced by such things as the amount used, frequency of use, engineering controls, effectiveness of safety training and many more considerations.
Disclaimer	This MSDS summarizes at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since the supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this supplier.
Note	Safety Data Sheets are updated frequently. Please ensure that you have a current copy.
Copyright	This document is copyright.

Date of Issue: MAY 2023	Page 9 of Total 9
Date of iccite, MAY MAS	Page 4 of Lotal 4